

Svelte Wear Observation Form

Clinician Evaluation Pack

Purpose

This form supports clinician-led sample observation and feedback during routine wear. It is designed to help clinicians record fit, comfort, rewet feel, leakage experience, odour perception, garment stability and core positioning during real-world use, including home or community settings where clinically appropriate.

This form is an observation tool only. It does not replace individual assessment, clinical judgement or local care protocols.

What is in the evaluation sample pack

- 2 wears per size (M×2, L×2)
- Samples are supplied to support clinician-led assessment and feedback. Quantities are limited while stocks last.
- Samples are supplied for clinician or service-led assessment and are not for general consumer distribution.

Fit quick check

Measure waist and hips. Use whichever measurement is larger to select size.

M: 75–130 cm waist/hip | L: 100–140 cm waist/hip

Confirm correct front and back orientation before wear.

Confirm final size using the **Svelte Fit Check Guide**.

Trial protocol

- Wear 1: include one extended sitting period, such as desk, car or seated activity.
- Wear 2: include one more active period, such as walking, bending, transfers or community activity.
- Use should remain guided by clinical judgement, output, fit, comfort, skin condition and change routine.

What to observe at change

Focus on observational feedback, including skin response, rewet feel, leakage experience, garment stability, core positioning, odour perception and outer backsheet or clothing dampness.

Quick check at change (tick one each line):

Leakage experience:

☐ No leak ☐ Minor leak ☐ Major leak

Rewet feel:

☐ Acceptable ☐ Wet feel noted ☐ Not acceptable

Garment stability / core positioning:

☐ Appeared centred ☐ Shifted ☐ Bunched ☐ Twisted

Core bulking / bunching, also known as pillowing:

☐ None ☐ Mild ☐ Significant

Outer backsheet/clothing dampness:

☐ Dry ☐ Slightly damp ☐ Wet

If damp or wet, note location: front, back or side seams. Also note whether this appears related to leakage at the leg or waist, or condensation / humidity such as heat build-up.

Skin response:

☐ Comfortable ☐ Redness ☐ Irritation ☐ Discomfort

Odour perception at change:

☐ Acceptable ☐ Concern noted

Notes (optional):

What happened? For example: sitting or compression duration, activity type, fit issues, stool event, timing of core bulking or bunching.

Real-world working capacity

Approx. 500 mL real-world working capacity in both Medium and Large.

This figure should be understood as a conservative working guide rather than a maximum absorbency claim or fixed wear-time guarantee.

Real-world performance may vary depending on void volume, frequency, fit, movement, sitting time, compression and change routine.

Intended use note (evaluation context):

Designed for routine wear with appropriate changing, including daytime use and light overnight use when changed as required.

Svelte is not intended for higher-volume overnight needs or extended single-garment overnight wear.

Use during evaluation should remain guided by clinical judgement.

Feedback & clinical support:

clinicians@getsvelte.com.au